

Title of Invention: LIGHTING DEVICE WITH BEAM ALTERING MECHANISM
INCORPORATING A PLURALITY OF LIGHT SOURCES

Inventor's Name: Richard S. Belliveau

Application No.: 09/716,713

FIG 10A




FIG 10B




FIG 10C





FIG 10D



Title of Invention: LIGHTING DEVICE WITH BEAM ADJUSTING MECHANISM
INCORPORATING A PLURALITY OF LIGHT SOURCES

Inventor's Name: Richard S. Belliveau

Application No.: 09/716,713

FIG 3A





FIG 3B



**Title of Invention: LIGHTING DEVICE WITH BEAM ALTERING MECHANISM
INCORPORATING A PLURALITY OF LIGHT SOURCES**

Inventor's Name: Richard S. Belliveau

Application No.: 09/716,713

FIG 4A





FIG 4B



**Title of Invention: LIGHTING DEVICE WITH BEAM ALTERING MECHANISM
INCORPORATING A PLURALITY OF LIGHT SOURCES**

Inventor's Name: Richard S. Belliveau

Application No.: 09/716,713

FIG 5A




FIG 5B





FIG 5C



Application No.: 09/716,713

FIG. 6 is a cross-sectional view of a device 500. The device has a top housing 502 with three openings 510. Each opening contains a component 514, 516, and 518 respectively, which are connected to a central vertical assembly. The central assembly includes a main body 540, a lower section 550, and a spring mechanism 568. The device is also labeled with 504, 519a, 519b, 524, 526, 528, 530, 562, 564, 566, and 592.